


Ozone Generators

CATALOGUE 2011-2012



Standard Series



Premium Series




High Flow Series

Spræe

enterprise

CREATING TOMORROW



Benefits:


- Freshens air
- Eliminates malodour
- Destroys airborne microbes
- Stops mildew growth
- Kills pathogens on food

Applications:

- Hospitality
- Food and Beverage processing
- Storage of fresh meat, fish and poultry, fresh fruit, vegetables
- Waste and garbage holding area
- Flood and fire restoration



1



Standard Series.

- Australian Made
- Single lamp or double lamp
- Stainless steel cabinet
- Includes external 24hr timer

Single Product Code #3110
Dual Product Code #3210

2



Premium Series.

- Australian Made
- Single lamp or double lamp
- Stainless steel cabinet
- Portable unit
- Built in timer (2 models)
- Analog bus for ozone
- Monitoring and control

Single Product Code #3110T

Dual Product Code #3210T

3



High Flow Series.

- Australian Made
- Single lamp or double lamp
- Stainless steel cabinet
- Portable unit
- High flow fan
- Includes external 24hr timer

Single Product Code #3610

Dual Product Code #3610T

4



Ozone Gas Monitor/Controller.

- Ambient gas monitoring and control
- Active sampling for higher accuracy
- Analogue • Digital • Relay outputs
- Large easy-to-read display
- Alarm or Control options
- Low maintenance
- Easy to install

Product Code #9617

STOCK CODE	STOCK NAME	QUALITY	AIR FLOW	OUTPUT (g/hr)	CONCENTRATION BY WEIGHT	REC. ROOM SIZE	POWER REQ.	230/50Hz, AMPS	DIMENSIONS (mm)			Wt (kg)
				AMBIENT AIR	AMBIENT AIR				H	W	D	
3110	UV Ozone Generator, single lamp	Standard	3m ³ /min	0.3	0.05	50m ³	58W	0.5A	220	200	360	4.5
3210	UV Ozone Generator, dual lamp	Standard	3m ³ /min	0.7	0.05	60m ³	75W	0.82A	220	200	360	5.4
3110T	UV Ozone Generator, single lamp w/ built in timer	Premium	3m ³ /min	1.5	0.05	50m ³	50W	0.5A	220	200	360	5.2
3210T	UV Ozone Generator, double lamp w/ built in timer	Premium	3m ³ /min	4.0	0.05	70m ³	80W	0.82A	220	200	360	6.2
3610	UV Ozone Generator high flow, high output double lamp	High Flow	6.57m ³ /min	2.7	0.05	150m ³	125W	1A	220	200	360	7
9617	Ozone Gas Monitor/Controller											

* OPTION: **Ozone gas monitor/controller** used to effectively manage the levels of ozone in the air

CREATING TOMORROW

Ozone Generators

CATALOGUE 2011-2012

Please contact us on
1300 788 080
or by email
sales@spree.net.au

CREATING TOMORROW

www.spree.net.au

SPREE ENTERPRISE PTY LTD

Level 5, 88 Albert Road,
South Melbourne Vic 3205 Australia
p: 1300 788 080
f: 1300 551 124
e: sales@spree.net.au
w: www.spree.net.au

CUSTOMER CARE

e: customercare@spree.net.au

Spree
enterprise
CREATING TOMORROW

